

# A flair for flares

## How to be part of the space weather monitoring programme

Deborah Scherrer, Stanford University

**W**OULD your life have been different if you could have accessed scientific data from your own authentic scientific instrument in high school? Would you be willing to help students now have that experience?

Stanford University's Solar Center, with funding from the US National Science Foundation and NASA, has developed inexpensive space weather monitors that students can install and use at their local high schools or colleges. The instruments detect changes to the Earth's ionosphere caused by solar flares and other disturbances. Students buy in to the project by building their own antenna, a simple structure costing little and taking a few hours to assemble. Data collection and analysis are handled by a local PC — which need not be fast or elaborate. Stanford provides a centralised data repository where students can exchange data. Considerable accompanying educational guides are provided with the monitors.

The instruments are named after sudden ionospheric disturbances (SID), the impacts the sun has on the Earth's ionosphere. Two versions of the monitor exist; the original SID monitor, distributed throughout the world for the United Nations International Heliophysical Year, and SuperSID, a lower-cost, more powerful upgraded instrument being distributed by the Society of Amateur Radio Astronomers, as well as through the United Nation's International Space Weather Initiative (ISWI). Over 800 SIDs and SuperSIDs have been distributed worldwide, with a focus on developing nations.

### What is a space weather monitor?

Our space weather monitors measure the effects on Earth of solar flares by tracking changes in very low frequency (VLF) radio transmissions as they bounce off Earth's ionosphere. The VLF radio waves come from transmitters set up by various nations to communicate with their submarines.

The actual communication is of no interest, but the signal strength of these VLF waves changes as the sun affects Earth's ionosphere, adds ionization, and thus alters where the waves bounce. Our monitors track these changes in signal strength. The SID instruments are a simplified student version of the AWESOME instruments, also part of the ISWI programme. The SID sample rate is significantly smaller than the AWESOME's, so SID instruments are most appropriate for solar tracking.

The sun affects the Earth through several mechanisms. The primary one for our purposes is energy. Whenever the sun erupts with a flare, it is usually in the form of X-ray or extreme ultraviolet (EUV) energy. These X-ray and EUV waves travel at the speed of light, taking only eight minutes to reach us here at Earth, and dramatically affect the Earth's ionosphere.

Another mechanism affecting Earth is through the impact of matter from the sun. Plasma, or matter in a state where electrons

**Deborah Scherrer on the double hit of gaining data and inspiring young people to study the effects of space weather**



Right: A coronal mass ejection ©NASA SDO/AIA.

Far top right: A solar flare ©NASA SDO/AIA.

Far bottom right: Graph 1, SID data graph. Image courtesy Ray Mitchell.





From left: A SuperSID ©SARA; Students at Deer Valley High School, Antioch, CA USA (used with permission); Students on the project in Nigeria.

have been separated from the nuclei of their atoms, can also be ejected from the sun during a flare event. This bundle of matter is called a coronal mass ejection (CME). CMEs flow from the sun at over 2 million kilometers per hour. Thus it would take a CME 72 hours or so to reach Earth. CMEs primarily affect the Earth's magnetosphere and one would need a magnetometer to track changes.

Both energy and matter emissions from the sun affect the Earth. Our space weather monitors track only the energy form of solar activity.

**What do SID data look like?**

SID monitors track VLF signal strength over time. Each instrument monitors from 1-4 specific VLF transmitters, with a 5 second sampling rate. Graph 1 is a sample SID data graph from one station (we added the colours to make it easier to read). The y-axis of the graph indicates signal strength, and the x-axis time, in this case 24 hours, labelled in UT. Note the change of the signal strength at sunrise and at sunset. Every day has a distinctive sunset and sunrise pattern, and each receiving site has a different pattern.

Note on the graph how the line slopes sharply downward at sunrise and sharply upward at sunset.


Nighttime data is of no use in SID monitoring, since the sun has set during that time. The area between the sunrise and sunset is where we do our flare hunting. On a normal day (i.e. no flares), noon will be the highest point, because the sun is directly overhead and producing the highest level of ionization.

Solar flares have a very characteristic shape — a swift increase in signal strength followed by a slower decrease, as in the graph below. The chart shows four solar flares picked up during a single day.


**Student research**

Students have undertaken a variety of research projects with SID data, including topics such as:

- Determining sunrise/sunset patterns and changes over time, season, latitude, distance from transmitter, site, and weather.
- Identifying solar flares, tracking back to sun, attempts at prediction.







Graph 2: Year-long SID graph ©Don Rice.

fairly regularly as solid dark lines. Missing data is charted as bold white lines. Solar flares are indicated by small white occurrences. It is not clear what the darkened data showing up near the top represents. One possibility may be planetary waves.

#### Obtaining SID monitors:

The Society of Amateur Radio Astronomers has taken over distribution of the SuperSID monitors from Stanford. The goal is to place monitors in high schools and early college environments around the world. Scientists serve as mentors to the schools. The instruments are inexpensive, about \$50, and stipends are often available to schools, especially those in developing nations. You could change a student's life by giving them access to a SID monitor and serving as a mentor.

*Deborah Scherrer, Stanford University*  
To obtain an instrument for a school,  
contact: [SuperSID@radio-astronomy.org](mailto:SuperSID@radio-astronomy.org)

This article was forwarded to CES by the United Nation's International Space Weather Initiative.

- Antenna design
- Unusual events; thunderstorms, meteor showers, CMEs, gamma-ray bursts, planetary waves, earthquakes.
- Electrical interference.
- Eclipses.
- Correlation with local events (for example photovoltaic power plant increases associated with flares and local hospital admissions).

Graph 2 shows SID data from a single transmitter graphed over a period of 1 year. The hour-glass shape is the result of dawn and dusk times during the year. Inside the hour-glass represents nighttime, outside the daytime. Transmitter maintenance outages show up

**KING'S**  
*College*  
**LONDON**

#### MSc in Construction Law & Dispute Resolution

Centre of Construction Law & Dispute Resolution

Applications are invited for this highly regarded post-graduate programme:

- Two-year part-time, post-experience, cross-professional programme for lawyers and construction professionals, now in its twenty-seventh year covering the law and its application to construction projects, practices, people and problems
- four taught modules and a dissertation, including foundation modules on Law for Construction Professionals or Construction Technology for Lawyers
- nine full days' tuition each term in central London:
  - three sets of Thursdays, Fridays and Saturdays, plus
  - two or more extra days in the first year
- academic staff led by Professor Phillip Capper and Professor David Mosey supported by leading academics and practitioners
- specialist library resources and online facilities available to students
- qualifies for professional CPD and, with additional award-writing examination, exemption from the CIARB Fellowship examination
- next intake September 2014 – early applications are encouraged and should be received by 1<sup>st</sup> July 2014


*Applicants must have a degree and/or acceptable professional qualifications plus, for construction professionals and non-practising lawyers, at least two years' relevant work experience; for practising lawyers, at least completed pupillage or one year of training contract.*

For a copy of the prospectus and details of the application procedure, visit the College website: [www.kcl.ac.uk](http://www.kcl.ac.uk) (click School of Law/MSc Construction Law on home page). For further information, contact Sue Hart on 020 7848 2643, or email [cldr@kcl.ac.uk](mailto:cldr@kcl.ac.uk).



#### Avon Gorge Cruise

Afloat and at Bristol Harbourside  
Saturday 21 June 2014  
11.15am-3pm



ICES South West & South Wales  
Social Networking Cruise  
on the Tower Belle

with popular CES contributor, Hamish Mitchell

£6

Buffet, refreshments and cash bar.

Meet 11.15am at Wapping Wharf by SS Great Britain.

Departs 11.45am sharp.

Sponsors

Keyline Builders Merchants

Bookings: Serena Ronan

Chartered Institution of Civil Engineering Surveyors

+44 (0)161 972 3100

[sronan@cices.org](mailto:sronan@cices.org)

[www.cices.org/bookings](http://www.cices.org/bookings)