

題名 [See] ISWI Newsletter – Vol. 5 No. 021
 差出人 maeda@serc.kyushu-u.ac.jp

```
*****
* ISWI Newsletter – Vol. 5 No. 021                25 February 2013 *
*
*           I S W I = International Space Weather Initiative      *
*                   (www.iswi-secretariat.org)                    *
*
* Publisher:      Professor K. Yumoto, ICSWSE, Kyushu University, Japan *
* Editor-in-Chief: Mr. George Maeda, ICSWSE (maeda[at]serc.kyushu-u.ac.jp)*
* Archive location: www.iswi-secretariat.org (maintained by Bulgaria) *
*           [click on "Publication" tab, then on "Newsletter Archive"] *
* Caveat: Under the Ground Rules of ISWI, if you use any material from *
*           the ISWI Newsletter or Website, however minor it may seem *
*           to you, you must give proper credit to the original source. *
*****
```

Attachment(s):

- (1) "Symposium in Japan", 2 KB txt.
- (2) "2013SARAWestConfRpt_ISWI", 3 MB pdf, 13 pages.
- (3) "Various ICG GNSS reports", 2 KB txt.

```
-----
:                               Re:
:                               (1) CAWSES 2013
:                               (2) SARA Western Conference
:                               (3) Various ICG/GNSS reports
```

Dear ISWI Participant:

There are three excellent items today:

----- (Item 1)

The International CAWSES-II Symposium (November 18-22, 2013, Nagoya, Japan) is now ready to accept abstracts. For submission details, please see the attached text file. In addition, to see the colorful flyer for this event, please access "ISWI Newsletter, Volume 4, Number 105", which can be found in the newsletter archives at www.iswi-secretariat.org. (This item contributed by Prof. Shiokawa of Nagoya University.)

----- (Item 2)

I attach an outstanding summary report of the 2013 SARA Western Conference -- the photos in it are great. It also mentions recent work with e-Callisto and SuperSID, which are members of the ISWI instrument array. (Many thanks to Whitham D. Reeve of Anchorage, Alaska, USA, for sending in this report for distribution to the ISWI community.)

----- (Item 3)

Many recent reports related to ICG and GNSS have become available at the UNOOSA website; for details please see the attached text file. (This item contributed by Ms. Sharafat Gadimova, Programme Officer, Office for Outer Space Affairs, United Nations Office at Vienna.)

Most humbly yours,

```
:      George Maeda
:      The Editor
:      ISWI Newsletter
```

.....25 Feb 2013.

Dear Colleagues,

The abstract submission page has now been opened for the International CAWSES-II Symposium which will be held on November 18-22, 2013, at Nagoya, Japan.

: <http://www.stelab.nagoya-u.ac.jp/cawses2013/>

This International CAWSES-II Symposium hosted by SCOSTEP (Scientific Committee on Solar-Terrestrial Physics) will provide an excellent opportunity to discuss the scientific accomplishments of CAWSES-II and look forward to SCOSTEP's future programs at a moment toward the end of its five-year period.

Deadlines:

Abstract submission deadline: June 30, 2013

Financial support request deadline: June 30, 2013

Early registration deadline: 24:00 (UT) on August 31, 2013

Session structures

(session descriptions are available at the website mentioned above):

Tutorial Lectures (45min x 7, TBD)

Panel 1: Long time change/trend of the sun-earth system

Coordinator: K. Kusano (STEL, Nagoya U.)

Panel 2: Variability of the sun-earth system

Coordinator/Moderator: J. Oberheide (Clemson U.)

Panel 3: Beyond the CAWSES-II

Coordinator/Moderator: N. Gopalswamy (NASA)

SS-1: Solar Influences on Earth's Climate

Session leaders: Ilya Usoskin, Katja Matthes, Annika Seppala

SS-2: Geospace Response to Altered Climate

Session leaders: Jan Lastovicka, Daniel Marsh, Gufran Beig

SS-3: Short-term Solar Variability and Geospace

Session leaders: Kazunari Shibata, Joe Borovsky, Yoshiharu Omura

SS-4: Geospace Response to Lower Atmospheric Waves

Session leaders: Jens Oberheide, Kazuo Shiokawa, Subramanian Gurubaran

SS-5: eScience and Informatics Successes and Challenges for CAWSES-II

Session leaders: Peter Fox, Janet Kozyra, Yasuhiro Murayama

Sincerely yours,

Mamoru Yamamoto, Takuji Nakamura,
Kazuo Shiokawa, and Nat Gopalswamy
< Conveners of CAWSES2013 >

EOF.

Summary of 2013 SARA Western Conference ~ Socorro, New Mexico 9 ~ 10 February 2013



Contents

Summary of presentations.....	page 1
Photo essay of tours	page 3

The 2013 SARA Western Conference was held in Socorro, New Mexico USA at the Best Western Hotel & Suites. We had 22± attendees at this year's conference. The format was similar to previous western conferences – opening remarks by the president, presentations by outside speakers and SARA members followed by a tour of local radio astronomy facilities. These are described below. During opening remarks, SARA president Bill Lord asked for suggestions for the location of the 2014 Western Conference, and it was stated that Owens Valley Radio Observatory near Big Pine and Bishop, California may be a good location.

Pictured: Front left-right: Stuart Rumley, Bill Lord, Joe Hobart, Jane Gray, Kevin Kinghorn. Back left-right: Jim Moravec, Whitham Reeve, Curt Kinghorn, James Boswell, Tom Hagen, Marcia Tucker, Kent Gardner, Robert Tucker, Ken Redcap, Lorraine Rumley, Keith Payea, Frank Schinzel, Stan Nelson, Nikki Payea, Caleb Kinghorn. Not pictured: Melinda Lord, David Westman.



Presentations

Frank Schinzel from University of New Mexico at Albuquerque presented an overview of the Long Wavelength Array project. The LWA will be used to study plasma astrophysics and space science such as space weather, cosmic evolution, the high redshift universe, and the transient universe. When completed, the LWA will consist of over 50 array sites, almost all in New Mexico, with a total collecting area of around 1 km². The first array, called LWA1, is collocated with the NRAO Very Large Array (VLA) about 1 hour drive west of Socorro. The core of each array consists of 257 dual-polarization dipoles distributed pseudo-randomly over a footprint forming an ellipse of 110 x 100 m (see photos in the tour description later in this report). Five additional dual-polarization dipoles for calibration are located from 150 to about 500 m from the center of LWA1. The signals from each dipole are digitized and either recorded individually or combined into beams. Four of these independently-steerable dual-polarization beams are available that can be independently tuned to any frequency between 5 and 88 MHz. However, for most applications the usable frequency range is 10 to 88 MHz.

James Boswell was our next speaker. James works at the VLA Site in VLA Engineering Services. He discussed a new dry-air system he has been building for use with the EVLA, or Expanded VLA. It was found that when the original VLA was expanded in terms of bandwidth and sensitivity that removing moisture from the air in the

antenna feeds became even more critical. James put together a suitable dry-air pressurization system based entirely on commercial off-the-shelf components. The system uses a small air compressor electric motor/pump and tank with several different stages for removing the moisture and maintaining a small positive pressure to keep outside air and its associated moisture from entering the system. Each of the 27 VLA dish antennas is equipped with the dry-air system, and all antenna feeds on each dish that require dry air are fed in series. The installation of this dry-air system is underway. Jim brought a complete set of components for demonstrating and viewing – they all fit on a regular folding table.

We next heard from SARA member Keith Payea. We usually see Keith at our western conferences, particularly those in California where he lives. He discussed the Robert Ferguson Observatory (RFO) in California's Sugarloaf Ridge State Park in Sonoma County. The observatory originally was dedicated to visible astronomy but to add to the experience, Keith helped install a Radio Jove receiver and antenna system. It primarily is used for solar radio observations at 20 MHz and to explain some of the inner workings of the Sun in conjunction with the visible observations.

After lunch Whitham Reeve discussed software tools used with the e-CALLISTO solar radio spectrometer network. This was a follow-up to his presentation at the 2012 Western Conference in which he discussed e-CALLISTO hardware. In addition to a slide presentation, Whit demonstrated the software tools on a live system setup at the conference. The Callisto receiver portion of e-CALLISTO has many uses. It originally was designed for observing solar radio bursts with very high frequency resolution at VHF and UHF but it also is used for RFI surveys, up-converter front-end for software defined radio, observing satellite to derive Doppler-information, receiving meteor trail reflections and echoes from the Moon or satellites related to space radars and amateur radio Earth-Moon-Earth (EME) transmissions, and participating in VHF-SETI activities.

Keith Payea returned to the podium for another presentation, this one on Techniques for powerline noise reduction in VLF sudden ionospheric disturbance (SID) radio observing. Keith has experimented extensively to eliminate the powerline hum that interferes with our SID observations. In particular, he described a method by which the powerline hum is actively cancelled at the SID monitor resulting in 20 dB reduction. SARA members interested in this technique should watch the SARA journal for an article by Keith.

After Keith finished, Whitham Reeve presented a tutorial on the basic types of solar radio bursts, Type I through Type VII, including actual spectrograms of each burst type observed by various stations in the e-CALLISTO network. The spectrograms were provided by Christian Monstein, who conceived and designed the Callisto receiver and most of the associated software tools.

Our next speaker was SARA member Tom Hagen assisted by Ken Redcap and Bill Lord. Tom described two ongoing SARA projects including the 3rd generation SuperSID monitor, which is presently undergoing evaluation and test. The main difference between the current and new SuperSIDs is that the new one is powered by a USB connection to a PC. This reduces (or eliminate) the ongoing problems of radio frequency interference (RFI) from power supplies. It has been found that the 5 Vdc power provided by USB ports is much quieter than the switchmode ac adapter power supplies so far tested. Tom also discussed the "Comberator", a battery powered squarewave oscillator that is used to validate or troubleshoot a SuperSID installation. The "Comberator" was originally developed by the late Dave Benham, who was a SARA member and director.

Next up was SARA director Jim Moravec, who described his work with young people in Colorado and his efforts to get them interested in science. In spite of the many obstacles he has had impressive results, some of his students going on to very successful careers in various science fields. Jim was followed by Curt Kinghorn, who described his ongoing series of radio astronomy experiments. Curt was inspired by a talk at a previous SARA Western Conference to make radio astronomy observations within the UHF television band at 608 to 614 MHz (channel 37). This range of frequencies cannot be used by TV stations.

VLA and LWA Tours on Sunday

We were very lucky this year to be treated to two tours, both at the Very Large Array site about 65 km west of Socorro out in the open desert. The VLA has both the Expanded VLA (EVLA) and the first LWA station (LWA1). The coordinates for the VLA Visitor Center are 34-04-24.10 N, 107-37-27.00 W. We were greeted by the sign below as we entered the VLA site.



The Very Large Array consists of 27 radio antennas in a Y-shaped configuration. The data from each 25 m antennas are combined to give the resolution equivalent to an antenna 36 km across and sensitivity equivalent to a dish 130 m in diameter. The EVLA has a point-source sensitivity better than 1 μ Jy between 2 and 40 GHz. The operating frequency range is between 1.0 and 50 GHz with up to 8 GHz bandwidth per polarization, a minimum of 16,384 channels, 1 Hz frequency resolution, and 128 independently tunable sub-bands.

The satellite image below, seen from the altitude of the ionosphere's D-layer, shows the desert surrounding the VLA/LWA (far-left), Magdalena, which we passed through to get to the VLA Site (middle) and Socorro (far-right), where our conference was held. The temperature at the VLA Site during our tour was around +7 °C, cool enough to keep the rattle snakes in their dens and to keep us from being broiled by the hot Sun. Needless to say, we had to wear jackets and some people wore gloves.



James Boswell was our host for the VLA tour, which included climbing one of the 25 m dish antennas. Joe Craig was our host for the LWA tour, and he allowed us to wander among the LWA antenna forest. Between tours we ate a catered lunch brought in from Datil, about 22 km west-northwest of the VLA. The following is a photo essay of the tours.

Below: Panoramic view showing all 27 VLA dish antennas.





James Boswell (center) discusses the dish surface immediately above.



Dish antenna sub-reflector as seen from the dish surface. The "dog house" at the bottom of the picture houses the receivers



Receivers that are in the “dog house” along with their feed horns




Additional receivers and their feed horns






Long view of a VLA dish antenna, this one adjacent to the maintenance hangar or "barn"




Two VLA dishes actively tracking an emissions source in the sky.



Above: Panoramic view of Long Wavelength Array Station 1, an area 110 x 100 m




Joe Craig, our tour guide
for the Long Wavelength
Array, in front of the LWA
equipment enclosure




This pdf circulated in
Volume 5, Number 21,
on 25 Feb 2013.

LWA1 equipment enclosure cable entrance panel. Each of the dipoles has a dedicated coaxial cable and they each enter the enclosure through a lightning arrestor shown here



LWA1 antenna forest consists of 257 crossed-dipole antennas




Above: Two views of one dual-dipole antenna assembly. Each antenna assembly has two coaxial cable feedlines and one power cable. The antennas are manufactured by Burns Industries in Nashua, New Hampshire and assembled on-site. The shape of the dipole “blade” elements increases the antenna bandwidth.



Detail view of the mechanical supports for one half of a dipole at LWA1





LWA1 antenna forest



LWA1 equipment shelter and cabinets are custom-built for EMI shielding, providing a total of 100 dB shielding effectiveness

.....Date: Thu, 21 Feb 2013

Greetings from Vienna !

[please kindly note that various ICG/GNSS reports in all official languages]
of the United Nations are available on the OOSA webpage at:

<http://www.unoosa.org/oosa/en/docsidx.html>

or directly at the following addresses:

- Report of the Secretariat on the Seventh Meeting of the ICG, 5 - 9 November 2012, Beijing, China, A/Ac.105/1035 in English
(http://www.unoosa.org/pdf/reports/ac105/AC105_1035E.pdf);
- Report of the Secretariat on the Activities carried out in 2012 in the framework of the workplan of the ICG, A/AC.105/1034 in English
(http://www.unoosa.org/pdf/reports/ac105/AC105_1034E.pdf)
- Report on the United Nations/Latvia Workshop on the applications of GNSS, Riga, 14 - 18 May 2012, A/AC.105/1022 in English
(http://www.unoosa.org/pdf/reports/ac105/AC105_1022E.pdf)
- The United Nations publication (ST/SPACE 59) "Education Curriculum on GNSS, including the Glossary of GNSS terms" (in English only)
(http://www.unoosa.org/pdf/icg/2013/Ed_GNSS_eBook.pdf)

Please also note that the presentation on the ICG and its programme on GNSS applications was made under the agenda item "Recent developments in global navigation satellite systems" in the 50th Session of the Scientific and Technical Subcommittee. This presentation and the presentations made under agenda item "Space Weather" have also been made available on the OOSA website at:

<http://www.unoosa.org/oosa/en/COPUOS/stsc/2013/presentations.html>

Kind regards,

Shafa

Sharafat Gadimova, (Ms.)

Programme Officer

Office for Outer Space Affairs

United Nations Office at Vienna

Tel (Office) ++43-(1)-26060-5479

FAX (Office) ++43-(1)-26060-5830

E-Mail sharafat.gadimova@unvienna.org

EOF.